


# Customized Solutions for Electronic Industry



## CAV-2

### Blister Taping Machine

The machine is suitable to tape electronic or mechanical small components into a blister tape, available in three different versions: manual taping machine, semi-automatic machine and fully automatic machine. The taping process is qualified in accordance to standard DIN IEC 60286-3.



We are specialized in

Radial Taping

Blister Taping

Fuse Assembly

Test & Sorting

[www.mbl-machines.com](http://www.mbl-machines.com)

# MBL

GmbH & Co. KG

Von-Miller-Str. 1 D- 93092 Barbing-Unterheising Tel.:+49 (0) 9401 9205 0 Fax +49 (0) 9401 9205 90

# CAV-2

## ***Blister Taping Machine***

### **Machine description**

- Operator unit with integrated electronic programmable control
- Tape advance unit, driven by servo motor
- Useable tape widths: 8 – 56 mm (guiding rails are continuously adjustable)
- Height of tape cavity: 14 mm (others on request)
- Sealing station for hot or cold sealing. Max. temperature field until 240°C
- Motor driven reeling-up station with loop-control for the finished blister tape
- Pedal for single or permanent cycle steps (only on the manual machine)

### **General machine equipment**

- Machine frame made out of aluminium profile; Cover: colour blue
- Machine dimensions L x W x H in mm: approx. 1600 x 600 x 1600
- Machine weight: approx. 120 kg

### **Production speed rate**

- Depends on the operator feeding speed and the input quality of the taping materials

Tape advance:	0,05s/4 mm
Speed rate of sealing:	0,32s/sealing step
Total cycle time:	0,37s/4 mm

### **Options**

- Gap control
- Semiautomatic version
- Available as blister taping module

**MBL**  
**GmbH & Co. KG**

mailto: [info@mbl-machines.com](mailto:info@mbl-machines.com)  
Web: [www.mbl-machines.com](http://www.mbl-machines.com)